Author Index

ALLANSMITH M. R. *see* SULLIVAN D. A.
ANDERSSON J. P. & ANDERSSON U. G. Human intravenous immunoglobulin modulates monokine production *in vitro*, 372
ANDERSSON U. G. *see* ANDERSSON J. P.
AWAYA A. *see* ONODERA T.
AWWAD M. *see* NORTH R. J.

BACON L. D. *see* LILLEHOJ H. S.
BARDEN G. *see* THOMPSON K.
BARKAS T. *see* ZHANG Y.
BEHNKE D. *see* GASE K.
BELDON I. *see* THOMPSON K.
BELL R. G. *see* WANG C. H.
BERKE G. *see* SCHICK B.
BERLIN C. *see* BÜHRER C.
BHOGAL B. S. *see* QUERE P.
BIENENSTOCK J. *see* CROITORU K.
BINNS R. M. *see* FRITZ F. J.
BLAIR A. J. *see* KENNEDY M. W.
BOMFORD A. *see* POLSON R. J.
BOST K. L. *see* PASCUAL D. W.
BRANDTZAEG P. *see* HALSTENSEN T. S.
BRETT S. J. & IVANYI J. Genetic influences on the immune repertoire following tuberculous infection in mice, 113
BREVÉ J. *see* MEBIUS R. E.
BREWER E. *see* FRIEDMAN A. M.
BROOKS C. G. *see* WOOD P. M. D.
BROWN J. F. *see* CZUPRYNSKI C. J.
BÜHRER C., BERLIN C., THIELE H.-G. & HAMANN A. Lymphocyte activation and expression of the human leucocyte-endothelial cell adhesion molecule 1 (Leu-8/TQ1 antigen), 442
BULMER J. N. *see* CHRISTMAS S. E.
BURGESS D. R. *see* HART P.H.
BUURMAN W. A. *see* LEEUWENBERG J. F. M.

CARLSTEN H. *see* TARKOWSKI A.
CHAN W.-L., ZILTENER H. J. & LIEW F. Y. Interleukin-3 protects mice from acute herpes simplex virus infection, 358
CHEERS C. *see* TRAN H. T. T.
CHEUNG D. L., HART P. H., VITTI G. F., WHITTY G. A. & HAMILTON J. A. Contrasting effects of interferon-gamma and interleukin-4 on the interleukin-6 activity of stimulated human monocytes, 70
CHRISTMAS S. E. & MEAGER A. Production of interferon-gamma and tumour necrosis factor-alpha by human T-cell clones expressing different forms of the $\gamma\delta$ receptor, 486
CHRISTMAS S. E., BULMER J. N., MEAGER A. & JOHNSON P. M. Phenotypic and functional analysis of human $CD3^-$ decidual leucocyte clones, 182
CLAASSEN E. *see* LAMAN J. D.
COLLINS R. A., JONES B. V. & OLDHAM G. Production of bovine immunoregulatory molecules by xenogeneic hybrids, 266
COLTEN H. R. *see* PASSWELL J. H.
CONNER A. S. *see* SULLIVAN D. A.
COOPER M. D. *see* QUERE P.
CROITORU K., ERNST P. B., BIENENSTOCK J., PADOL I. & STANISZ A. M. Selective modulation of the natural killer activity of murine intestinal intraepithelial leucocytes by the neuropeptide substance P, 196
CUMBERBATCH M. & KIMBER I. Phenotypic characteristics of antigen-bearing cells in the draining lymph nodes of contact sensitized mice, 404
CZUPRYNSKI C. J. & BROWN J. F. Effects of purified anti-Lyt-2 mAb treatment on murine listeriosis: comparative roles of $Lyt\text{-}2^+$ and $L3T4^+$ cells in resistance to primary and secondary infection, delayed-type hypersensitivity and adoptive transfer of resistance, 107

DAHLGREN U. I., WOLD A. E., HANSON L. A. & MIDTVEDT T. The secondary antibody response in milk and bile against fimbriae and LPS in rats monocolonized or immunized in the Peyer's patches with *Escherichia coli*, 295
DALGLEISH A. *see* WILKS D.
DANIELS R. H., WILLIAMS B. D. & MORGAN B. P. Human rheumatoid synovial cell stimulation by the membrane attack complex and other pore-forming toxins *in vitro:* the role of calcium in cell activation, 312
DANIELS R. H. *see* MERI S.
DARWIN B. S. *see* PISETSKY D. S.
DAVIES A. *see* MERI S.
DE BAETSELIER P. *see* LUCAS R.
DENIS M. & GREGG E. O. Recombinant tumour necrosis factor-alpha decreases whereas recombinant interleukin-6 increases growth of a virulent strain of *Mycobacterium avium* in human macrophages, 139
DOBRYNIN V. N. *see* GASE K.
DOHLSTEN M., LANDO P. A., HEDLUND G., TROWSDALE J. & KALLAND T. Targeting of human cytotoxic T lymphocytes to MHC class II-expressing cells by staphylococcal enterotoxins, 96
DOUGAN G. *see* TITE J. P.
DOYMAZ M. *see* KOLAITIS G.
DRESSER D. W. *see* HETHERINGTON C. M.
DUIJVESTIJN A. M. *see* MEBIUS R. E.
DUNKLEY M. L., HUSBAND A. J. & UNDERDOWN B. J. Cognate T-cell help in the induction of IgA responses *in vivo*, 16

EASTCOTT J. W., YAMASHITA K., TAUBMAN M. A. & SMITH D. J. Characterization of rat T-cell clones with bacterial specificity, 120
EDWARDS A. J. *see* HILL S.
ERMAK T. H., STEGER H. J. & PAPPO J. Phenotypically distinct subpopulations of T cells in domes and M-cell pockets of rabbit gut-associated lymphoid tissues, 530
ERNST M. *see* PRYJMA J.
ERNST P. B. *see* CROITORU K.
EZAKI T. *see* OHMORI J.

FARSTAD I. N. *see* HALSTENSEN T. S.
FAUSA O. *see* HALSTENSEN T. S.
FILIPPOV S. A. *see* GASE K.
FISCHER A. & KÖNIG W. Regulation of CD23 expression, soluble CD23 release and immunoglobulin synthesis of peripheral blood lymphocytes by glucocorticoids, 473
FLAD H.-D. *see* PRYJMA J.
FLOOD P. M. *see* FRIEDMAN A. M.
FORRESTER J. V. *see* LIVERSIDGE J.
FOULIS A. K. *see* KHAN N. U. D.
FRIEDMAN A. M., PTAK W., BREWER E., GREEN D. R., REUTER P. A. & FLOOD P. M. Generation of a T-cell hybridoma producing a contrasuppressor factor for contact sensitivity, 282
FRITZ F. J., PABST R. & BINNS R. M. Lymphocyte subsets and their proliferation in a model for a delayed-type hypersensitivity reaction in the skin, 508
FRUTIGER S. *see* ZHANG Y.
FUJIO H. *see* SAKATO N.
FUJITA T. *see* HIRUMA K.

GAO X.-M. *see* TITE J. P.
GASE K., KOROBKO V. G., WISNIEWSKI H. G., LE J., DOBRYNIN V. N., FILIPPOV S. A., GUTSCHE W., MAKSIMOVA Y. N., SCHLOTT B.,

Author Index

ALLANSMITH M. R. *see* SULLIVAN D. A.
ANDERSSON J. P. & ANDERSSON U. G. Human intravenous immunoglobulin modulates monokine production *in vitro*, 372
ANDERSSON U. G. *see* ANDERSSON J. P.
AWAYA A. *see* ONODERA T.
AWWAD M. *see* NORTH R. J.

BACON L. D. *see* LILLEHOJ H. S.
BARDEN G. *see* THOMPSON K.
BARKAS T. *see* ZHANG Y.
BEHNKE D. *see* GASE K.
BELDON I. *see* THOMPSON K.
BELL R. G. *see* WANG C. H.
BERKE G. *see* SCHICK B.
BERLIN C. *see* BÜHRER C.
BHOGAL B. S. *see* QUERE P.
BIENENSTOCK J. *see* CROITORU K.
BINNS R. M. *see* FRITZ F. J.
BLAIR A. J. *see* KENNEDY M. W.
BOMFORD A. *see* POLSON R. J.
BOST K. L. *see* PASCUAL D. W.
BRANDTZAEG P. *see* HALSTENSEN T. S.
BRETT S. J. & IVANYI J. Genetic influences on the immune repertoire following tuberculous infection in mice, 113
BREVÉ J. *see* MEBIUS R. E.
BREWER E. *see* FRIEDMAN A. M.
BROOKS C. G. *see* WOOD P. M. D.
BROWN J. F. *see* CZUPRYNSKI C. J.
BÜHRER C., BERLIN C., THIELE H.-G. & HAMANN A. Lymphocyte activation and expression of the human leucocyte-endothelial cell adhesion molecule 1 (Leu-8/TQ1 antigen), 442
BULMER J. N. *see* CHRISTMAS S. E.
BURGESS D. R. *see* HART P.H.
BUURMAN W. A. *see* LEEUWENBERG J. F. M.

CARLSTEN H. *see* TARKOWSKI A.
CHAN W.-L., ZILTENER H. J. & LIEW F. Y. Interleukin-3 protects mice from acute herpes simplex virus infection, 358
CHEERS C. *see* TRAN H. T. T.
CHEUNG D. L., HART P. H., VITTI G. F., WHITTY G. A. & HAMILTON J. A. Contrasting effects of interferon-gamma and interleukin-4 on the interleukin-6 activity of stimulated human monocytes, 70
CHRISTMAS S. E. & MEAGER A. Production of interferon-gamma and tumour necrosis factor-alpha by human T-cell clones expressing different forms of the $\gamma\delta$ receptor, 486
CHRISTMAS S. E., BULMER J. N., MEAGER A. & JOHNSON P. M. Phenotypic and functional analysis of human $CD3^-$ decidual leucocyte clones, 182
CLAASSEN E. *see* LAMAN J. D.
COLLINS R. A., JONES B. V. & OLDHAM G. Production of bovine immunoregulatory molecules by xenogeneic hybrids, 266
COLTEN H. R. *see* PASSWELL J. H.
CONNER A. S. *see* SULLIVAN D. A.
COOPER M. D. *see* QUERE P.
CROITORU K., ERNST P. B., BIENENSTOCK J., PADOL I. & STANISZ A. M. Selective modulation of the natural killer activity of murine intestinal intraepithelial leucocytes by the neuropeptide substance P, 196
CUMBERBATCH M. & KIMBER I. Phenotypic characteristics of antigen-bearing cells in the draining lymph nodes of contact sensitized mice, 404
CZUPRYNSKI C. J. & BROWN J. F. Effects of purified anti-Lyt-2 mAb treatment on murine listeriosis: comparative roles of $Lyt\text{-}2^+$ and $L3T4^+$ cells in resistance to primary and secondary infection, delayed-type hypersensitivity and adoptive transfer of resistance, 107

DAHLGREN U. I., WOLD A. E., HANSON L. A. & MIDTVEDT T. The secondary antibody response in milk and bile against fimbriae and LPS in rats monocolonized or immunized in the Peyer's patches with *Escherichia coli*, 295
DALGLEISH A. *see* WILKS D.
DANIELS R. H., WILLIAMS B. D. & MORGAN B. P. Human rheumatoid synovial cell stimulation by the membrane attack complex and other pore-forming toxins *in vitro:* the role of calcium in cell activation, 312
DANIELS R. H. *see* MERI S.
DARWIN B. S. *see* PISETSKY D. S.
DAVIES A. *see* MERI S.
DE BAETSELIER P. *see* LUCAS R.
DENIS M. & GREGG E. O. Recombinant tumour necrosis factor-alpha decreases whereas recombinant interleukin-6 increases growth of a virulent strain of *Mycobacterium avium* in human macrophages, 139
DOBRYNIN V. N. *see* GASE K.
DOHLSTEN M., LANDO P. A., HEDLUND G., TROWSDALE J. & KALLAND T. Targeting of human cytotoxic T lymphocytes to MHC class II-expressing cells by staphylococcal enterotoxins, 96
DOUGAN G. *see* TITE J. P.
DOYMAZ M. *see* KOLAITIS G.
DRESSER D. W. *see* HETHERINGTON C. M.
DUIJVESTIJN A. M. *see* MEBIUS R. E.
DUNKLEY M. L., HUSBAND A. J. & UNDERDOWN B. J. Cognate T-cell help in the induction of IgA responses *in vivo*, 16

EASTCOTT J. W., YAMASHITA K., TAUBMAN M. A. & SMITH D. J. Characterization of rat T-cell clones with bacterial specificity, 120
EDWARDS A. J. *see* HILL S.
ERMAK T. H., STEGER H. J. & PAPPO J. Phenotypically distinct subpopulations of T cells in domes and M-cell pockets of rabbit gut-associated lymphoid tissues, 530
ERNST M. *see* PRYJMA J.
ERNST P. B. *see* CROITORU K.
EZAKI T. *see* OHMORI J.

FARSTAD I. N. *see* HALSTENSEN T. S.
FAUSA O. *see* HALSTENSEN T. S.
FILIPPOV S. A. *see* GASE K.
FISCHER A. & KÖNIG W. Regulation of CD23 expression, soluble CD23 release and immunoglobulin synthesis of peripheral blood lymphocytes by glucocorticoids, 473
FLAD H.-D. *see* PRYJMA J.
FLOOD P. M. *see* FRIEDMAN A. M.
FORRESTER J. V. *see* LIVERSIDGE J.
FOULIS A. K. *see* KHAN N. U. D.
FRIEDMAN A. M., PTAK W., BREWER E., GREEN D. R., REUTER P. A. & FLOOD P. M. Generation of a T-cell hybridoma producing a contrasuppressor factor for contact sensitivity, 282
FRITZ F. J., PABST R. & BINNS R. M. Lymphocyte subsets and their proliferation in a model for a delayed-type hypersensitivity reaction in the skin, 508
FRUTIGER S. *see* ZHANG Y.
FUJIO H. *see* SAKATO N.
FUJITA T. *see* HIRUMA K.

GAO X.-M. *see* TITE J. P.
GASE K., KOROBKO V. G., WISNIEWSKI H. G., LE J., DOBRYNIN V. N., FILIPPOV S. A., GUTSCHE W., MAKSIMOVA Y. N., SCHLOTT B.,

SHINGAROVA L. N., VILCEK J. & BEHNKE D. Critical role of the C-terminus in the biological activities of human tumour necrosis factor-alpha, 368
GECZY C. L. *see* JONES A.
GIBSON A. *see* KHAN N. U. D.
GIVAN A. L. *see* WOOD P. M. D.
GOETZL E. J. *see* SREEDHARAN S. P.
GÓRSKI A. *see* ŁAGODZINSKI Z.
GOTO F. *see* SAGARA T.
GREEN D. R. *see* FRIEDMAN A. M.
GREENWOOD A. *see* WANG C. H.
GREGG E. O. *see* DENIS M.
GUTSCHE W. *see* GASE K.

HABESHAW J. *see* WILKS D.
HALLIDAY G. M. *see* MCMINN P. C.
HALSTENSEN T. S., FARSTAD I. N., SCOTT H., FAUSA O. & BRANDTZAEG P. Intraepithelial TcRα/β^+ lymphocytes express CD45RO more often than the TcRγ/δ^+ counterparts in coeliac disease, 460
HAMANN A. *see* BÜHRER C.
HAMILTON J. A. *see* CHEUNG D. L.
HAMILTON J. A. *see* HART P. H.
HANCOCK J. T., HENDERSON L. M. & JONES O. T. G. Superoxide generation by EBV-transformed B lymphocytes. Activation by IL-1β, TNF-α and receptor independent stimuli, 213
HANN L. E. *see* SULLIVAN D. A.
HANSON L. A. *see* DAHLGREN U. I.
HART D. N. J. *see* STARLING G. C.
HART P. H., WHITTY G. A., BURGESS D. R. & HAMILTON J. A. Regulation by interleukin-3 of human monocyte pro-inflammatory mediators. Similarities with granulocyte–macrophage colony-stimulating factor, 76
Hart P. H. *see* CHEUNG D. L.
HARTNELL A. *see* WALSH G. M.
HARTWIG M. & KÖRNER I.-J. Generation of lymphokine-activated killer cells in long-term cultures, 145
HEATH A. W. & PLAYFAIR J. H. L. Conjugation of interferon-gamma to antigen enhances its adjuvanticity, 454
HEDLUND G. *see* DOHLSTEN M.
HEIRWEGH K. *see* LUCAS R.
HELLER-HAUPT A. *see* VARMA M. G. R.
HENDERSON L. M. *see* HANCOCK J. T.
HETHERINGTON C. M. & DRESSER D. W. Establishment of functional T cells in SCID mice does not lead to termination of pregnancy, 449
HILL S., EDWARDS A. J., KIMBER I. & KNIGHT S. C. Systemic migration of dendritic cells during contact sensitization, 277
HILL S. *see* KIMBER I.
HILL T. J. *see* WILLIAMS N. A.
HIRUMA K., KOIKE T., NAKAMURA H., SUMIDA T., MAEDA T., TOMIOKA H., YOSHIDA S. & FUJITA T. Somatostatin receptors in human lymphocytes and leukaemia cells, 480
HITOMI S. *see* SHINDO T.
HOFFMANN U. J. *see* KNÖLLER I.
HOLÁŇ V. *see* LIPOLDOVÁ M.
HOLMDAHL R. *see* TARKOWSKI A.
HOOPER D. C. *see* WILLIAMS N. A.
HOPKINS S. J., HUMPHREYS M., KINNAIRD A., JONES D. A. & KIMBER I. Production of interleukin-1 by draining lymph node cells during the induction phase of contact sensitization in mice, 493
HORIUCHI T. *see* TAKEUCHI Y.
HUGHES G. J. *see* ZHANG Y.
HUGHES-JENKINS C. *see* TITE J. P.
HUMPHREYS M. *see* HOPKINS S. J.
HUSBAND A. J. *see* DUNKLEY M. L.

IVANYI J. *see* BRETT S. J.

JENKINS M. C. *see* LILLEHOJ H. S.
JENKINS R. *see* POLSON R. J.
JEUNHOMME T. M. A. A. *see* LEEUWENBERG J. F. M.
JOHNSON P. M. *see* CHRISTMAS S. E.
JONES A. & GECZY C. L. Thrombin and Factor Xa enhance the production of interleukin-1, 236
JONES B. V. *see* COLLINS R. A.
JONES D. A. *see* HOPKINS S. J.
JONES O. T. G. *see* HANCOCK J. T.
JORDAN R. K. *see* WOOD P. M. D.
JOSEFSSON E. *see* TARKOWSKI A.
JUNGI T. W. *see* TREZZINI C.

KALLAND T. *see* DOHLSTEN M.
KARASUYAMA H. *see* YAMAMURA Y.
KASAHARA T. *see* YAGISAWA H.
KAY A. B. *see* WALSH G. M.
KENNEDY M. W., MCINTOSH A. E., BLAIR A. J. & MCLAUGHLIN D. MHC (RT1) restriction of the antibody repertoire to infection with the nematode *Nippostrongylus brasiliensis* in the rat, 317
KERR M. A. *see* STEWART W. W.
KHAN N. U. D., GIBSON A. & FOULIS A. K. The distribution of immunoreactive interferon-alpha in formalin-fixed paraffin-embedded normal human foetal and infant tissues, 230
KIMBER I., HILL S., MITCHELL J. A., PETERS S. W. & KNIGHT S. C. Antigenic competition in contact sensitivity. Evidence for changes in dendritic cell migration and antigen handling, 271
KIMBER I. *see* CUMBERBATCH M.
KIMBER I. *see* HILL S.
KIMBER I. *see* HOPKINS S. J.
KINNAIRD A. *see* HOPKINS S. J.
KJELLSON B. *see* TARKOWSKI A.
KNIGHT S. C. *see* HILL S.
KNIGHT S. C. *see* KIMBER I.
KNIGHT S. C. *see* MACATONIA S. E.
KNÖLLER I., HOFFMANN U. J., WERCHAU H. H. & KÖNIG W. Effects of mitogens and lymphokines on the regulation of the immune response to HBs antigen *in vivo*, 352
KOIKE T. *see* HIRUMA K.
KOLAITIS G., DOYMAZ M. & ROUSE B. T. Demonstration of MHC class II-restricted cytotoxic T lymphocytes in mice against herpes simplex virus, 101
KÖNIG W. *see* FISCHER A.
KÖNIG W. *see* KNÖLLER I.
KORENAGA M. *see* WANG C. H.
KÖRNER I.-J. *see* HARTWIG M.
KOROBKO V. G. *see* GASE K.
KORS N. *see* LAMAN J. D.
KOTANI M. *see* OHMORI J.
KOTANI M. *see* YAMAMURA Y.
KRAAL G. *see* MEBIUS R. E.
KUNTZ L., PFLUMIO F., VELIN D. & LOOR F. Adoptive transfer of viable motheaten (Me^v) humoral autoimmunity: IgM to IgG switch of the hyperglobulinaemia in nude, beige recipient mice, 341
KURIHARA K. *see* WALSH G. M.

LACHMANN P. J. *see* MERI S.
ŁAGODZINSKI Z., GÓRSKI A. & WĄSIK M. Effect of FK506 and cyclosporine on primary and secondary skin allograft survival in mice, 148
LAMAN J. D., KORS N., VAN ROOIJEN N. & CLAASSEN E. Mechanism of follicular trapping: localization of immune complexes and cell remnants after elimination and repopulation of different spleen cell populations, 57
LANDO P. A. *see* DOHLSTEN M.
LANGI A. O. *see* VARMA M. G. R.
LAU R. *see* MACATONIA S. E.
LAWSON C. M. *see* O'DONOGHUE H. L.
LE J. *see* GASE K.
LEE S.-C. *see* LEI H.-Y.
LEEUWENBERG J. F. M., VAN DE WINKEL J. G. J., JEUNHOMME T. M. A. A. & BUURMAN W. A. Functional polymorphism of IgG FcRII(CD32) on human neutrophils, 301
LEI H.-Y., LEE S.-C. & YU C.-K. Distinct regulation of humoral and cellular immunities to hepatitis B surface antigen, 347
LI Y. *see* LIEW F. Y.
LIEW F. Y., LI Y. & MILLOTT S. Tumour necrosis factor (TNF-α) in leishmaniasis. II. TNF-α-induced macrophage leishmanicidal activity is mediated by nitric oxide from L-arginine, 556
LIEW F. Y. *see* CHAN W.-L.
LIEW F. Y. *see* TITE J. P.

LIGHTSTONE E. B. & MARVEL J. CD45RA is detected in all thymocyte subsets defined by CD4 and CD8 by using three-colour flow cytometry, 467
LILLEHOJ H. S., JENKINS M. C. & BACON L. D. Effects of major histocompatibility genes and antigen delivery on induction of protective mucosal immunity to *E. acervulina* following immunization with a recombinant merozite antigen, 127
LIPOLDOVÁ M., ZAJÍCOVÁ A. & HOLÁŇ V. Inability of mitogen-stimulated spleen cells from newborn mice to synthesize interleukin-2 receptors, 497
LIVERSIDGE J., SEWELL H. F. & FORRESTER J. V. Interactions between lymphocytes and cells of the blood–retina barrier: mechanisms of T lymphocyte adhesion to human retinal capillary endothelial cells and retinal pigment epithelial cells *in vitro*, 390
LOMBARD M. *see* POLSON R. J.
LOOR F. *see* KUNTZ L.
LUCAS R., HEIRWEGH K., NEIRYNCK A., REMELS L., VAN HEUVERSWYN H. & DE BAETSELIER P. Generation and characterization of a neutralizing rat anti-rmTNF-α monoclonal antibody, 218

MCCULLAGH P. Curtailment of autoimmunity following parabiosis with a normal partner, 595
MCGUIRE T. C. *see* PERRYMAN L. E.
MCINTOSH A. E. *see* KENNEDY M. W.
MCLAUGHLIN D. *see* KENNEDY M. W.
MCMINN P. C., HALLIDAY G. M. & MULLER H. K. Effects of gliotoxin on Langerhans' cell function: contact hypersensitivity responses and skin graft survival, 46
MACATONIA S. E., LAU R., PATTERSON S., PINCHING A. J. & KNIGHT S. C. Dendritic cell infection, depletion and dysfunction in HIV-infected individuals, 38
MAEDA M. *see* SHINDO T.
MAEDA T. *see* HIRUMA K.
MAKSIMOVA Y. N. *see* GASE K.
MALFROY B. *see* SREEDHARAN S. P.
MALY F. E. *see* TREZZINI C.
MANTOVANI A. *see* WANG J. M.
MARVEL J. *see* LIGHTSTONE E. B.
MASON P. H. *see* PERRYMAN L. E.
MATSUDA H. *see* TAKEUCHI Y.
MEAGER A. *see* CHRISTMAS S. E.
MEBIUS R. E., BREVÉ J., DUIJVESTIJN A. M. & KRAAL G. The function of high endothelial venules in mouse lymph nodes stimulated by oxazolone, 423
MELAMED M. *see* THOMPSON K.
MERI S., MORGAN B. P., DAVIES A., DANIELS K. H., OLAVESEN M. G., WALDMANN H. & LACHMANN P. J. Human protectin (CD59), an 18,000–20,000 MW complement lysis factor, inhibits C5b–8 catalysed insertion of C9 into lipid bilayers, 1
METCALF D. *see* TRAN H. T. T.
MIDTVEDT T. *see* DAHLGREN U. I.
MILLOTT S. *see* LIEW F. Y.
MINAGAWA T. *see* NAKANE A.
MITCHELL J. A. *see* KIMBER I.
MIYASAKA M. *see* YAMAMURA Y.
MORGAN B. P. *see* DANIELS R. H.
MORGAN B. P. *see* MERI S.
MORGAN B. P. *see* ROONEY I. A.
MORI S. *see* SAGARA T.
MORRIS A. G. Major histocompatibility complex antigens in v-Ki-*ras* transformed cells: the different antigens are expressed and induced by interferons independently of one another and of the anti-viral state, 224
MUKAIDA N. *see* YAGISAWA H.
MULLER H. K. *see* MCMINN P. C.

NAKAMURA H. *see* HIRUMA K.
NAKAMURA K. *see* SHINDO T.
NAKANE A., NUMATA A. & MINAGAWA T. Suppression of host resistance against *Listeria monocytogenes* infection by 15-deoxyspergualin in mice, 560
NEIRYNCK A. *see* LUCAS R.
NORTH R. J. & AWWAD M. Elimination of cycling CD4$^+$ suppressor T cells with an anti-mitotic drug releases non-cycling CD8$^+$ T cells to cause regression of an advanced lymphoma, 90
NOURI-ARIA K. *see* POLSON R. J.
NUMATA A. *see* NAKANE A.

O'BRIEN J. *see* WILKS D.
O'CALLAGHAN D. *see* TITE J. P.
O'DONOGHUE H. L., LAWSON C. M. & REED W. D. Autoantibodies to cardiac myosin in mouse cytomegalovirus myocarditis, 20
OHKAWARA S. *see* SAGARA T.
OHMORI J., EZAKI T. & KOTANI M. Analysis of B-cell abnormalities in autoimmune mice by *in vitro* culture system using two types of bone marrow stromal cell clone, 544
OKUMURA K. *see* TAKEUCHI Y.
OLAVESEN M. G. *see* MERI S.
OLDHAM G. *see* COLLINS R. A.
OLIVIER M. *see* SULLIVAN D. A.
ONODERA T. & AWAYA A. Anti-thyroglobulin antibodies induced with recombinant reovirus infection in BALB/c mice, 581
O'REILLY K. L. & SPLITTER G. A. Biochemical and functional characterization of 8-10C5 (gp120,90), a novel molecule on the surface of bovine T leucocytes, 434
O'ROURKE K. I. *see* PERRYMAN L. E.
OTA A. *see* SAKATO N.

PABST R. *see* FRITZ F. J.
PADOL I. *see* CROITORU K.
PANGBURN M. K. Reduced activity of DAF on complement enzymes bound to alternative pathway activators. Similarity with Factor H, 598
PAPPO J. *see* ERMAK T. H.
PASCUAL D. W. & BOST K. L. Substance P production by P388D1 macrophages: a possible autocrine function for this neuropeptide, 52
PASSWELL J. H., SCHREINER G. F., WETSEL R. A. & COLTEN H. R. Complement gene expression in hepatic and extrahepatic tissues of NZB and NZB × W(F_1) mouse strains, 290
PATTERSON S. *see* MACATONIA S. E.
PERRYMAN L. E., O'ROURKE K. I., MASON P. H. & MCGUIRE T. C. Equine monoclonal antibodies recognize common epitopes on variants of equine infectious anaemia virus, 592
PETERS S. W. *see* KIMBER I.
PFLUMIO F. *see* KUNTZ L.
PINCHING A. J. *see* MACATONIA S. E.
PISETSKY D. S., DARWIN B. S. & REICH C. F. IgG binding of monoclonal anti-nuclear antibodies from MRL-*lpr*/*lpr* mice, 586
PITUCH-NOWOROLSKA A. *see* PRYJMA J.
PLAYFAIR J. H. L. *see* HEATH A. W.
POLSON R. J., JENKINS R., LOMBARD M., WILLIAMS A. C., ROBERTS S., NOURI-ARIA K., WILLIAMS R. & BOMFORD A. Mechanisms of inhibition of mononuclear cell activation by the iron-chelating agent desferrioxamine, 176
PROPPER D. J. *see* WOO J.
PRYJMA J., ZEMBALA M., PITUCH-NOWOROLSKA A., ERNST M., VAN DER BOSCH J. & FLAD H.-D. Monocyte–T-cell interactions in pokeweed mitogen-activated cultures, 397
PTAK W. *see* FRIEDMAN A. M.

QUERE P., BHOGAL B. S. & THORBECKE G. J. Characterization of suppressor T cells for antibody production by chicken spleen cells. II. Comparison of CT8$^+$ cells from concanavalin A-injected normal and bursa cell-injected agammaglobulinaemic chickens, 523
QUERE P., COOPER M. D. & THORBECKE G. J. Characterization of suppressor T cells for antibody production by chicken spleen cells. I. Antigen-induced suppressor cells are CT8$^+$, TcR1$^+$ ($\gamma\delta$) T cells, 517

RAO P. *see* TREZZINI C.
REED W. D. *see* O'DONOGHUE H. L.
REICH C. F. *see* PISETSKY D. S.
REMELS L. *see* LUCAS R.
REUTER P. A. *see* FRIEDMAN A. M.
ROBERTS S. *see* POLSON R. J.
ROONEY I. A. & MORGAN B. P. Protection of human amniotic epithelial cells (HAEC) from complement-mediated lysis: expression on the cells of three complement inhibitory membrane proteins, 308

ROUSE B. T. *see* KOLAITIS G.
RUGDECH P. *see* SAKATO N.
RUSSELL S. M. *see* TITE J. P.

SAGARA T., MORI S., OHKAWARA S., GOTO F., TAKAGI K. & YOSHINAGA M. A limited role of IL-1 in immune-enhancement by adjuvants, 251
SAGAWA K. *see* SHINDO T.
SAKATO N., RUGDECH P., YODA T., OTA A., ZHAO Y., SEMMA M., SUZUKI Y. & FUJIO H. Activation of idiotype-specific CD4$^+$ T-cell line: cellular processing of exogenous self-immunoglobulin, 153
SANDERSON C. J. *see* WALSH G. M.
SAVOY M.-C. *see* ZHANG Y.
SCHICK B. & BERKE G. The lysis of cytotoxic T lymphocytes and their blasts by cytotoxic T lymphocytes, 428
SCHLOTT B. *see* GASE K.
SCHREINER G. F. *see* PASSWELL J. H.
SCOTT H. *see* HALSTENSEN T. S.
SEMMA M. *see* SAKATO N.
SETO A. *see* YAMAMURA Y.
SEWELL H. F. *see* LIVERSIDGE J.
SHINDO T., SUGIE K., NAKAMURA K., TAGAYA Y., MAEDA M., UCHIYAMA T., SAGAWA K., YOKOYAMA M., WADA H., HITOMI S. & YODOI J. Down-regulation of KOLT-2 antigen (CD28) by interleukin-2; role of IL-2R(p70), 63
SHINGAROVA L. N. *see* GASE K.
SHIOIRI-NAKANO K. *see* YAGISAWA H.
SMITH D. J. *see* EASTCOTT J. W.
SPLITTER G. A. *see* O'REILLY K. L.
SPYCHER M. O. *see* TREZZINI C.
SREEDHARAN S. P., GOETZL E. J. & MALFROY B. Elevated synovial tissue concentration of the common acute lymphoblastic leukaemia antigen (CALLA)-associated neutral endopeptidase (3.4.24.11) in human chronic arthritis, 142
STANISZ A. M. *see* CROITORU K.
STARLING G. C. & HART D. N. J. CD45 molecular cross-linking inhibits natural killer cell-mediated lysis independently of lytic triggering, 190
STEGER H. J. *see* ERMAK T. H.
STEWART W. W. & KERR M. A. The specificity of the human neutrophil IgA receptor (RcαR) determined by measurement of chemiluminescence induced by serum or secretory IgA1 or IgA2, 328
STREILEIN J. W. *see* WILBANKS G. A.
SUGIE K. *see* SHINDO T.
SUGIMOTO T. *see* TAKEUCHI Y.
SULLIVAN D. A., YEE L., CONNER A. S., HANN L. E., OLIVIER M. & ALLANSMITH M. R. Influence of ocular surface antigen on the postnatal accumulation of immunoglobulin-containing cells in the rat lacrimal gland, 573
SUMIDA T. *see* HIRUMA K.
SUTHERLAND J. *see* THOMPSON K.
SUZUKI Y. *see* SAKATO N.

TAGAYA Y. *see* SHINDO T.
TAKAGI K. *see* SAGARA T.
TAKEUCHI Y., HORIUCHI T., SUGIMOTO T., MATSUDA H., YAGITA H. & OKUMURA K. Effects of cyclosporin A on T-cell development in organ-cultured foetal thymus, 158
TARKOWSKI A., KJELLSON B., CARLSTEN H., HOLMDAHL R., JOSEFSSON E. & TROLLMO C. Frequency and phenotypic feature of autoantibody-producing cell precursors in the preclinical stage of murine lupus, 335
TAUBMAN M. A. *see* EASTCOTT J. W.
THIELE H.-G. *see* BÜHRER C.
THOMPSON K., BARDEN G., SUTHERLAND J., BELDON I. & MELAMED M. Human monoclonal antibodies to C, c, E, e and G antigens of the Rh system, 323
THOMSON A. W. *see* WOO J.
THORBECKE G. J. *see* QUERE P.
TITE J. P. Evidence of a role for TNF-α in cytolysis by CD4$^+$, class II MHC-restricted cytotoxic T cells, 208
TITE J. P., HUGHES-JENKINS C., O'CALLAGHAN D., DOUGAN G., RUSSELL S. M., GAO X.-M. & LIEW F. Y. Anti-viral immunity induced by recombinant nucleoprotein of influenza A virus. II. Protection from influenza infection and mechanism of protection, 202
TOMIOKA H. *see* HIRUMA K.
TRAN H. T. T., METCALF D. & CHEERS C. Anti-bacterial activity of peritoneal cells from transgenic mice producing high levels of GM-CSF, 377
TREZZINI C., JUNGI T. W., SPYCHER M. O., MALY F. E. & RAO P. Human monocytes CD36 and CD16 are signaling molecules. Evidence from studies using antibody-induced chemiluminescence as a tool to probe signal transduction, 29
TRINDER P. K. E. *see* VARMA M. G. R.
TROLLMO C. *see* TARKOWSKI A.
TROWSDALE J. *see* DOHLSTEN M.
TSUDO M. *see* YAMAMURA Y.

UCHIYAMA T. *see* SHINDO T.
UNDERDOWN B. J. *see* DUNKLEY M. L.

VAN DER BOSCH J. *see* PRYJMA J.
VAN DE WINKEL J. G. J. *see* LEEUWENBERG J. F. M.
VAN HEUVERSWYN H. *see* LUCAS R.
VAN ROOIJEN N. *see* LAMAN J. D.
VARMA M. G. R., HELLER-HAUPT A., TRINDER P. K. E. & LANGI A. O. Immunization of guinea-pigs against *Rhipicephalus appendiculatus* adult ticks using homogenates from unfed immature ticks, 133
VELIN D. *see* KUNTZ L.
VILCEK J. *see* GASE K.
VITTI G. F. *see* CHEUNG D. L.

WADA H. *see* SHINDO T.
WALDMANN, H. *see* MERI S.
WALKER L. *see* WILKS D.
WALSH G. M., HARTNELL A., WARDLAW A. J., KURIHARA K., SANDERSON C. J. & KAY A. B. IL-5 enhances the *in vitro* adhesion of human eosinophils, but not neutrophils, in a leucocyte integrin (CD11/18)-dependent manner, 258
WALTER S. *see* WANG J. M.
WANG C. H., KORENAGA M., GREENWOOD A. & BELL R. G. T-helper subset function in the gut of rats: differential stimulation of eosinophils, mucosal mast cells and antibody-forming cells by OX8$^-$OX22$^-$ and OX8$^-$OX22$^+$ cells, 166
WANG J. M., WALTER S. & MANTOVANI A. Re-evaluation of the chemotactic activity of tumour necrosis factor for monocytes, 364
WARDLAW A. J. *see* WALSH G. M.
WĄSIK M. *see* ŁAGODZINSKI Z.
WATSON E. A. *see* WILKINSON P. C.
WERCHAU H. H. *see* KNÖLLER I.
WETSEL R. A. *see* PASSWELL J. H.
WHITTY G. A. *see* CHEUNG D. L.
WHITTY G. A. *see* HART P. H.
WILBANKS G. A. & STREILEIN J. W. Characterization of suppressor cells in anterior chamber-associated immune deviation (ACAID) induced by soluble antigen. Evidence of two functionally and phenotypically distinct T-suppressor cell populations, 383
WILBANKS G. A. & STREILEIN J. W. Distinctive humoral immune responses following anterior chamber and intravenous administration of soluble antigen. Evidence for active suppression of IgG2-secreting B lymphocytes, 566
WILKINSON P. C. & WATSON E. A. FK506 and pertussis toxin distinguish growth-induced locomotor activation from attractant-stimulated locomation in human blood lymphocytes, 417
WILKS D., WALKER L., O'BRIEN J., HABESHAW J. & DALGLEISH A. Differences in affinity of anti-CD4 monoclonal antibodies predict their effects on syncytium induction by human immunodeficiency virus, 10
WILLIAMS A. C. *see* POLSON R. J.
WILLIAMS B. D. *see* DANIELS R. H.
WILLIAMS N. A., HILL T. J. & HOOPER D. C. Murine epidermal antigen-presenting cells in primary and secondary T-cell proliferative responses to a soluble protein antigen *in vitro*, 411
WILLIAMS R. *see* POLSON R. J.
WISNIEWSKI H. G. *see* GASE K.
WOLD A. E. *see* DAHLGREN U. I.
WOO J., PROPPER D. J. & THOMSON A. W. Antigen presentation and HLA-DR expression by FK-506-treated human monocytes, 551
WOOD P. M. D., JORDAN R. K., GIVAN A. L. & BROOKS C. G. IL-3 and IL-4 affect thymocyte differentiation in organ culture, 83

YAGISAWA H., KASAHARA T., MUKAIDA N., YAMASHITA K. & SHIOIRI-NAKANO K. IL-1-induced production of IL-2 and IFN-γ in subclones of human T-cell derived leukaemia HSB.2 cells: regulation by phytohaemagglutinin-mediated (poly)phosphoinositide breakdown and cyclic AMP, 242
YAGITA H. *see* TAKEUCHI Y.
YAMAMURA Y., KOTANI M., TSUDO M., KARASUYAMA H., SETO A. & MIYASAKA M. IL-2 receptors on rabbit T-cell lines and their transfectants expressing the human IL-2 receptor α chain, 502
YAMASHITA K. *see* EASTCOTT J. W.
YAMASHITA K. *see* YAGISAWA H.
YEE L. *see* SULLIVAN D. A.
YODA T. *see* SAKATO N.
YODOI J. *see* SHINDO T.
YOKOYAMA M. *see* SHINDO T.
YOSHIDA S. *see* HIRUMA K.
YOSHINAGA M. *see* SAGARA T.
YU C.-K. *see* LEI H.-Y.

ZAJÍCOVÁ A. *see* LIPOLDOVÁ M.
ZEMBALA M. *see* PRYJMA J.
ZHANG Y., FRUTIGER S., HUGHES G. J., SAVOY M.-C. & BARKAS T. Identification of T-cell epitopes of autoantigens using recombinant proteins; studies on experimental autoimmune myasthenia gravis, 538
ZHAO Y. *see* SAKATO N.
ZILTENER H. J. *see* CHAN W.-L.

Subject Index

Affinity, of anti-CD4:
  differences predict effects on syncytium induction by HIV, 10
Allograft survival:
  effect of FK506 and cyclosporin, 148
Amniotic epithelial cells, human:
  protection from lysis, 308
Anterior chambered immunization:
  humoral responses following, 566
Anti-CD4:
  differences in affinity predict effects on syncytium induction by HIV, 10
Anti-nuclear antibodies:
  binding of IgG, 586
Anti-thyroglobulin antibodies:
  induced with recombinant reoviruses, 581
Antigen presentation:
  by FK-506-treated monocytes, 551
Autoantibodies, to cardiac myosin:
  in mouse CMV infection, 20
Autoantibody-producing cell precursors, in murine lupus:
  frequency and phenotypic features, 335
Autoimmunity:
  curtailed following parabiosis, 595

B-cell abnormalities in autoimmune mice, 544
Blood–retinal barrier:
  adhesion of T lymphocytes, 390
Bovine–murine hybrids:
  production of bovine regulatory molecules, 266
Bovine T lymphocytes:
  novel surface molecule 8-10C5 (gp120,90), 434

CD23:
  regulation of expression by glucocorticoids, 473
CD45 cross-linking:
  inhibits natural killer cell lysis independently of lytic triggering, 190
CD45RA:
  dilution in thymocyte subsets, 467
CD59:
  inhibition of C9 insertion in lipid bilayers, 1
Complement activators:
  recognition by DAF, 598
Complement gene expression:
  in murine lupus, 290
Contact sensitivity:
  antigen-bearing cells, 404
Contrasuppressor factor, for contact sensitivity:
  produced by T-cell hybridoma, 282
Cyclosporin A:
  effects on T-cell development, 158
Cytotoxic T-cell mediated lysis, 428
Cytotoxic T lymphocytes, class II restriction:
  against HSV, 101

Decidual leucocyte clones, human:
  phenotypic and functional analysis, 182
Dendritic cell infection:
  in HIV-infected individuals, 38
Dendritic cells:
  and antigenic competition in contact sensitivity, 271
  systemic migration during contact sensitization, 277
15-deoxyspergualin:
  suppression of host resistance to listeria, 560
Desferrioxamine:
  mechanisms of inhibition of mononuclear cell activation, 176

Endopeptidase:
  synovial tissue, 142

Eosinophil adhesion:
  enhancement by IL-5, 258
Epidermal antigen-presenting cells:
  in T-cell proliferative responses, 411
Equine infectious anaemia virus:
  common epitopes, recognition by monoclonal antibodies, 592

FcRII (CD32), on human neutrophils:
  polymorphism, 301
Follicular trapping:
  localization of immune complexes and cell remnants, 57

Gamma delta T cells:
  cytokine production, 486

Hepatitis B surface antigen:
  immune response to, effects of mitogens and lymphokines, 352
  recognition of humoral and cellular immunity, 347
High endothelial venules:
  function, in oxazolone-stimulated lymph nodes, 423

Idiotype:
  cellular processing, 153
Immune repertoire:
  genetic influences on infection with tuberculosis, 113
Immunity to influenza:
  induced by recombinant nucleoprotein, 202
Immunoglobulin A responses, *in vivo*:
  cognate T-cell help, 16
Interferon-alpha, immunoreactive:
  distribution in human foetal and infant tissues, 230
Interferon-gamma:
  conjugation to antigen enhances its adjuvanticity, 454
Interleukin-1:
  and contact sensitivity, 493
  limited role in adjuvant action, 251
  production, enhanced by thrombin and Factor Xa, 236
Interleukin-2 and interferon-gamma:
  production by human HSB.2 cells induced by interleukin-1, 242
Interleukin-2 receptor:
  failure of synthesis by newborn mice, 497
  role in down-regulation of CD28, 63
Interleukin-2 receptors:
  on rabbit T cells and transfectants, 502
Interleukin-3:
  protection of mice from HSV, 358
Interleukin-3 and -4:
  affect of thymocyte differentiation, 83
Interleukin-5: enhancement of eosinophil adhesion, 258
Interleukin-6 activity of monocytes:
  effects of IFN-γ and IL-4, 70
Interleukin-6 and TNF-α:
  effects on growth of *M. avium*, 139
Intraepithelial lymphocytes:
  in coeliac disease, 460
Isotype switch in motheaten→nude beige chimaeras, 341

Lacrimal secretory immunity:
  effect of ocular surface antigen, 573
Langerhans' cell function:
  effect of gliotoxin, 46
Leu-8/TQ1:
  down-regulation by phorbol myristate actate and/or calcium ionophores, 442
Listeriosis, murine:
  Lyt-2$^+$ and L3T4$^+$ cells, 107
Locomotion, in human lymphocytes:
  effects of FK506 and pertussis toxin, 417

Lupus, murine:
complement gene expression, 290
Lymphocyte proliferation:
in skin DTH reaction, 508
Lymphokine-activated killer cells:
generation in long-term culture, 145
Lymphoma:
regression following elimination of $CD4^+$ suppressor T cells, 90

Macrophage activity:
in granulocyte–macrophage colony-stimulating factor transgenic mice, 377
Major histocompatibility complex antigens:
in v-Ki-*ras* cells, expression and induction by IFN, 224
Major histocompatibility complex restriction:
of antibody repertoire to nematode antigens, 317
Monoclonal antibodies, human:
to antigens of the Rh system, 323
Monocyte pro-inflammatory mediators:
regulation by IL-3, 76
Monocyte–T-cell interactions:
in pokeweed mitogen-activated cultures, 397
Monocyte triggering:
by monoclonal antibodies, 29
Monokine production, *in vivo*:
modulation by human intravenous immunoglobulin, 372
Mucosal immunity, to *S. acervulina*:
effects of MHC genes and antigen delivery, 127
Myasthenia gravis, autoimmune:
identification of T-cell epitopes of autoantigens, 538
Mycobacterium avium:
growth influenced by TNF-α and IL-6, 139

Natural killer activity, in intraepithelial leucocytes:
modulation by substance P, 196
Neuropeptide substance P:
autocrine function, 52
Neutrophil IgA (Fcα) receptor:
specificity, 328

Pore-forming proteins:
effects on human rheumatoid synovial cells, 312

Rh system antigens:
human monoclonal antibodies to, 323

Secretory antibody response, against fimbriae and LPS:
in Peyer's patch-immunized rats, 295
Severe combined immunodeficient mice (SCID):
functional T cells and termination of pregnancy, 449
Somatostatin receptors:
on human lymphocytes, 480
Staphylococcal enterotoxin-dependent cellular cytotoxicity, 96
Substance P:
modulation of natural killer activity in intraepithelial leucocytes, 196
Superoxide generation:
by EBV-transformed B lymphocytes, 213
Suppressor cells:
in anterior chamber-associated immune deviation, characterization of, 383
Suppressor T cells:
$CD4^+$ cycling, elimination by anti-mitotic drug, 90
chicken, characterization, 517
in agammaglobulinaemic chickens, characterization, 523

T-cell clones, with bacterial specificity:
characterization, 120
T-cell subpopulations:
in M-cell pockets of GALT, 530
T-helper cell activation:
of gut mast cells, eosinophils and B cells, 166
Ticks:
immunization of guinea-pigs with, 133
Tuberculosis:
genetic influences of immune repertoire, 113
Tumour necrosis factor:
chemotactic activity for monocytes, 364
Tumour necrosis factor-alpha:
and IL-6, effects on growth of *M. avium*, 139
critical role of C-terminus, 368
in leishmaniasis, 556
neutralizing monoclonal antibody to, generation and characterization, 218
role in $CD4^+$, class II MHC-restricted T cells, 208